

e hello@funcconnect.com

p +1 855 922 7377

Murri Desking Screen

NEW RELEASES - DESKING SCREEN



Feature:

Lead Time: 4 weeks

Made In: USA

Price:

COLLECTION	MURRI
DESCRIPTION/FEATURES	Murri Desking Screens enhance user privacy whilst still allowing
	access to natural light. Easily specified and assembled, Murri
	Desking Screens are an ideal solution for virtually any
	environment where standard desking or work tables require a
	high level of personal space division. Murri Screens define and
	divide space, while reducing acoucstic and visual distractions.
	Features + Benefits:
	* highest quality P.E.T an ideal material for reducing ambient
	noise and sound within highly interactive environments.
	* easy assembly
	* lightweight design quickly and easily attaches to worksurfaces
	providing both privacy and access to light

e hello@funcconnect.com

p +1 855 922 7377

HOW TO SPECIFY	1. Size
	2. Acrylic finish
	3. P.E.T. Color
FINISHES	* Highest quality P.E.T choose from 20 colors
	* Arcylic - Clear or Frosted
PRODUCT DIMENSIONS	48"w x 24"h x 24"d
	60"w x 24"h x 24"d
	72"w x 24"h x 24"d
FIXING	Includes (5) Shell Clamp Small brackets in White
	Installation - screw acrylic panels to PET panels with hardware
	provided, assemble shell clamps and screw to desk (screws not
	included), fit Murri screen and tighten shell clamps
ADDITIONAL INFO	For REVIT and CAD files, create an account / log in and go to the
	product DOWNLOADS tab
LEADTIME	4 weeks
DESIGNED BY	Paul James
WARRANTY	5 years. See FAQ's for full warranty.
OPTIONS	The Murri Desking Screen is available in 20 felt color and 2
	acrylic options.
	P.E.T. Colors - Bark (BR), Cadet (CT), Chambray (CH), Cobalt
	(CB), Ecru (EC), Fossil (FL), Frost (FT), Grass (GS), Greige
	(GR), Ivory (IY), Linen (LN), Malachite (MA), Mandarin (MN),
	Ochre (OE), Pewter (PW), Sky (SY), Slate (SL), Smoke (SE),
	Sunshine (SS), Tar (TR)
	Acrylic - Clear (C), Frosted (F)

FUNC.

funcconnect.com

e hello@funcconnect.com

p +1 855 922 7377

SUITABLE FOR	Indoor only
ASSEMBLY	Ships knock down.
	Assembly required.
CODES	FMDS4824, FMDS6024 or FMDS7224
	Then add to the end of the model number:
	- Acrylic finish
	- P.E.T. Color
	Example: FMDS4824FCT = a Murri Desking Screen in Frosted
	Acrylic and Cadet P.E.T.

funcconnect.com

e hello@funcconnect.com

p +1 855 922 7377

CARE INSTRUCTIONS

Vacuum regularly to remove dust.

For stains:

- 1. Blot excess spills from material quickly as possible. Wipe with a damp cloth.
- 2. If stain persists, a mild soapy water mixture and damp cloth can be used to rub the stain.
- 3. If stain still persists, use a polyester carpet shampoo cleaner mixed with water, a damp cloth and apply to the affected area (or as per manufacturer's instructions). Blot well after each application.

Infection Control:

If there is a need for infection control, bleach can be used in accordance with CDC Cleaning and Disinfection instructions. The solution ratio should be 5 tablespoons of bleach to 1 Gallon of water or 4 teaspoons of bleach per quart of water. Spray apply the solution as a mist and then wipe off the surface moisture to help spread the bleach solution

FUNC.

Always try these methods in an inconspicuous place on the
product prior to trying on a visible area.



funcconnect.com

e hello@funcconnect.com

p +1 855 922 7377

ENVIRONMENTAL INFORMATION	100% recyclable
---------------------------	-----------------