



Yakka Floor Standing Screen FLOOR STANDING SCREEN



Feature:

Lead Time: 4 weeks

Made In: USA

Price:

DESCRIPTION/FEATURES

Designed to define personal and team spaces, while dramatically reducing distracting sounds and noises within creative environments. YAKKA combines thoughtful design attributes with high performance acoustic materials to delivery a compelling form that conveys movement, when standing still. YAKKA is a truly unique solution that ships flat and assemblies quickly to reduce wasted time, packaging and labor.

Features + Benefits:

- * highest quality P.E.T. an ideal material for reducing ambient noise and sound within highly interactive environments.
- * toolless assembly
- * lightweight design encourages users to quickly and easily reconfigure to support varying degrees of visual privacy
- * wood base provides visual interest, structural support and stability





COLLECTION	Yakka				
DESIGNED BY	Paul James				
PRODUCT DIMENSIONS	42"w x 72"h				
FINISHES	* Highest quality P.E.T choose from 20 colors				
	* Wood components - blonde or dark stain				
OPTIONS	The Yakka Floor Standing Screen is available in 20 felt color				
	options and 2 wood base finishes.				
	P.E.T. Colors - Bark (BR), Cadet (CT), Chambray (CH), Cobalt				
	(CB), Ecru (EC), Fossil (FL), Frost (FT), Grass (GS), Greige				
	(GR), Ivory (IY), Linen (LN), Malachite (MA), Mandarin (MN),				
	Ochre (OE), Pewter (PW), Sky (SY), Slate (SL), Smoke (SE),				
	Sunshine (SS), Tar (TR)				
	Wood Base - Blonde (B), Dark (D)				
SUITABLE FOR	Indoor only				
LEADTIME	4 weeks				
WARRANTY	5 years. See FAQ's for full warranty				
ASSEMBLY	Ships knock down.				
	Assembly required.				
FIXING	N/A				
ADDITIONAL INFO	For REVIT and CAD files, create an account / log in and go to the				
	product DOWNLOADS tab				
HOW TO SPECIFY	1. Size				
	2. P.E.T. Color				
	3. Wood Finish				





CODES	YAKFS4274
	Then add to the end of model number:
	- Base finish - P.E.T. Color
	Example: YAKFS4274BCT = a Yakka Floor Standing Screen with
	a Blonde wood base and Cadet panels





CARE INSTRUCTIONS

Vacuum regularly to remove dust.

For stains:

- 1. Blot excess spills from material quickly as possible. Wipe with a damp cloth.
- 2. If stain persists, a mild soapy water mixture and damp cloth can be used to rub the stain.
- 3. If stain still persists, use a polyester carpet shampoo cleaner mixed with water, a damp cloth and apply to the affected area (or as per manufacturer's instructions). Blot well after each application.

Infection Control:

If there is a need for infection control, bleach can be used in accordance with CDC Cleaning and Disinfection instructions. The solution ratio should be 5 tablespoons of bleach to 1 Gallon of water or 4 teaspoons of bleach per quart of water. Spray apply the solution as a mist and then wipe off the surface moisture to help spread the bleach solution





Always	try thes	se meth	ods	in an	inconspicuo	us place	on	the
product	prior to	trying	on a	a visib	le area.			





ENVIRONMENTAL INFORMATION	100% recyclable
	1.0070.0090.0000