


F

CHARMAN MADE AND A STREET AND A ST

VOLUME 2

6



Overvie Benefits..... New Color

Ceiling Baffle Syste Clouds.....

Walls.... 3D Wall Pa Box Tiles... Plain Tiles. Etch Tiles.. Pattern Tile

We are excited to present the latest additions to Zintra Acoustic Solutions encompassing four new nature inspired Zintra Sheet colors alongside Wall and Ceiling ideas.

Feel free to reach out to receive a copy of the Zintra Acoustic Solutions, Volume 1 or Zintra Timber and Sticks brochures or a complete sample box.

We hope you enjoy the new ideas and look forward to helping with your next project.

Contents


ew	4
	4
rs	6
S	16
tems	18
	24
anels	30
	34
	38
es	



Zintra Benefits

Zintra not only looks good, it reduces noise and doesn't cost the earth. Available in a wide range of colors, and designs, plus the ability to add digital print, Zintra's versatility is that it can be applied directly to walls and ceilings, fabricated into tiles, baffles, and partitions that help solve the unique intricacies of any indoor space.

BENEFITS INCLUDE:



....

Superior noise reduction

Easy fabrication

Simple installation





Digitally printable

through the panel

Joint-free


application

Uniform color





NRC AND ALPHA-W RATINGS:





zintra 5.

New Colors


This release sees the addition of 4 new Zintra colors. Drawing inspiration from nature, Brick, Olive, Pebble and Midnight reflect the positivity and adventure of a new world. Each one has been developed with versatility in mind, so they can work alone or with any of the 28 colors and prints in the full Zintra range.

ZINTRA COLORS (Top to Bottom):
Pewter (PW) 2 Cadet (CT) 3 Chambray (CH)
Sky (SY) 5 Cobalt (CB) 6 Midnight (MI)
Malachite (MA) 8 Olive (OL) 9 Grass (GS)
Sunshine (SS) 1 Mandarin (MN) 12 Ochre (OE)
Brick (BK) 14 Bark (MR) 15 Ecru (SC) 16 Linen (LN)
Frost (FT) 18 Ivory (IY) 19 Smoke (SE) 20 Pebble (PB)
Greige (GR) 22 Fossil (FL) 23 Slate (SL) 24 Tar (TR)

ZINTRA TIMBER (Left to Right):

25 Merbau (MB) 26 Spotted Gum (SP)

27 Eucalyptus (EU) 28 Ironbark (IB)





Brick

Evoking feelings of warmth and comfort, while imparting tones reminiscent of fall, Brick is perfect for pairing with neutral tones or bringing the outdoors in.



Ales Hourglass Brick Joory Cirie




Pairs back with Unen and Ceru

Linen

zintra[®] 9.

Ecru

Brick



Olive

Reminiscent of a Mediterranean grove, Olive brings a darker shade of green with a hint of yellow. It gives a sense of peace and harmony, while conveying openness and space.

Olive

Malachite

Grass

Pairs back with Grass and Malachite





Baffle Systems Couvre





Pebble

Smoke

Pebble

Pewter

Inspired by the colour of water flowing over rocks, this warm, light grey adds neutrality and calmness to the range. Pebble is perfect as part of a modern color palette.



Winter Crawes



. Hex Alex



Pairs back with Cadet and Sky

Cadet

SKY

Midnight

DATE

Projecting confidence and mystery, Midnight's dark shade means it can be treated as a neutral color, while its blue hue exudes an elegant, contemporary feel.




zintra[®] 15.




zintra 17.

Baffle Systems

An innovative replacement to a mineral fiber ceiling system, Baffle Systems are easy to assemble, simple to install and come in a wide array of colors. They are ideally suited to large noisy spaces in educational institutions, shopping centers, offices, restaurants and airports.





BAFFLE SYSTEMS SPECIFICATIONS


Dimensions:	See page 21 and 23	
	Adjustable Cable Kit	North America / As
		Europe – 6 1/2' (200
Colors:	Available in all 28 col	ors including Timber
Finishes:	Square Tube 1" x 1" (25	5mm x 25mm) Black
NRC Rating:	0.90 (See pages 4-5)	
Aw Rating:	0.95 (See pages 4-5)	
Notes:	Adjustable Cable Kit i	included
	Hang from ceiling grid	d with optional Twis
	Multi-color and digite	ıl print available


For complete specification and installation information, visit zintraacoustic.com

Asia – 5' (1524mm))00mm) er (See page 6-7) k or Satin Aluminium


st Clip – Threaded








Connect Cubix



18 hexagons / set, 21.7 SF (2.6m²) 40.4" (1027mm) w x 100.2" (2544mm) d x 4.7" (120mm) h





Connect Prismatic 18 triangles / set, 16.9 SF (1.7m²) 30.2" (768mm) w x 88.2" (2241mm) d x 4.7" (120mm) h

18 cubes / set, 18.9 SF (1.8m²) 36.6" (930mm) w x 74.4" (1889mm) d x 4.7" (120mm) h

Connect Hive









Waves

48" (1220mm) w x 54" (1373mm) d x 4.7" (120mm) h

48" (1220mm) w x 48" (1220mm) d x 3.1" (80mm) h

Louvre





48" (1220mm) w x 48" (1220mm) d x 3.7" (94mm) h


22.




48" (1220mm) w x 108.1" (2745mm) d x 3.7" (94mm) h

V-Fold

48" (1220mm) w x 108.1" (2745mm) d x 3.1" (80mm) h






48" (1220mm) w x 108.1" (2745mm) d x 4.7" (120mm) h

Clouds

The combination of straight edges and rounded curves in a 3 dimensional design, ensure Clouds are an attention grabbing addition to a space. Each one easily pressure fits together and hangs quickly to deliver an instant impact.





Zintra Clouds Turbine in Pebble

CLOUDS SPECIFICATIONS


Dimensions:SColors:AFinishes:ANRC Rating:OAw Rating:ONotes:A

See page 26 Available in all 28 colors including Timber (See page 6-7) Adjustable Cable Kit – Silver 0.90 (See pages 4-5) 0.95 (See pages 4-5) Adjustable Cable Kits included Hang from ceiling grid with optional Twist Clip – Threaded Multi-color available


For complete specification and installation information, visit **zintraacoustic.com**








Turbine




Long Dome Convex 42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h



Dome Convex 44.6" (1133mm) w x 44.6" (1133mm) d x 11.8" (300mm) h

42.6" (1083mm) w x 42.6" (1083mm) d x 15.5" (393mm) h







3D Wall Panels

Seamlessly joined 3D Wall Panels offer an interesting and functional acoustic element to straight or curved walls. Adding depth and design to flat surfaces which absorb sound and cancel out soundwaves. Panels are narrow with a small pattern repeat which means they can be easily adjusted to fit wall to wall without custom drawings.





3D WALL PANELS SPECIFICATIONS

Dimensions:	See page 33
Colors:	Available in all 28 colors including Timber
NRC Rating:	0.45 (See pages 4-5)
Aw Rating:	0.30 (See pages 4-5)
Installation:	Refer to install guide for screw locations of
	Screw into wall through indicated joins us
	Push panel to protrude texture and screw
	Repeat in a tile like fashion across space.
Notes:	Use Battens 2, 4 and 6 in combination with
	Custom sizes available.


For complete specification and installation information, visit zintraacoustic.com


er (See page 6-7)

and spacing (screws not included). ising suitable screws for substrate. w in place.


ith each other for even more visual effects.









Peaks 3 strips / set, 26.3 SF (2.4m²) 12" (305mm) w x 108.1" (2745mm) h x 1.6" (40mm) d / strip





Batten 4 3 strips / set, 27 SF (2.5m²) 12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip




* Each perspective shows one set of 3 strips



Batten 2

3 strips / set, 18.1 SF (1.7m²) 8.6″ (218mm) w x 108.1″ (2745mm) h x 1.5″ (37mm) d / strip






Batten 6

3 strips / set, 27 SF (2.5m²) 12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip

12" (305mm)





Box Tiles

With a range of standard sizes and depths, Box Tiles give your walls dimension, color and the acoustic benefits of Zintra. Easy to layout, mix and match, and install, their versatility is an effective addition to any wall.

Zintra Box Tile Hex in Pebble, Smoke and Pewter

ALE & RUE itts a stabilization Zintra Box Tile Diamond in Fossil, Greige and Cadet

BOX TILES SPECIFICATIONS


Dimensions: See page 36 Available in all 28 colors including Timber (See page 6-7) Colors: NRC Rating: 0.45 – 0.80 (See pages 4-5) Aw Rating: 0.30 - 0.75 (See pages 4-5) Notes: Custom sizes available

For complete specification and installation information, visit zintraacoustic.com










Diamond 15 tiles / set, 11.7 SF (1.1m²) 9.5" (242mm) w x 15" (381mm) h x 3" (76mm) d / tile



Pitched 10 tiles / set, 15.6 SF (1.4m²) 15" (381mm) w x 15" (381mm) h x 3" (76mm) d / tile



Square 2.25" 10 tiles / set, 15.6 SF (1.4 m²) 15" (381mm) w x 15" (381mm) h x 2.3" (57mm) d / tile



Hex 12 tiles / set, 12.1 SF (1.1m²) 15" (381mm) w x 13" (330mm) h x 3" (76mm) d / tile



Square 1.5" 12 tiles / set, 18.7 SF (1.7m²) 15" (381mm) w x 15" (381mm) h x 1.5" (38mm) d / tile



Square 3'' 10 tiles / set, 15.6 SF (1.4m²) 15" (381mm) w x 15" (381mm) h x 3" (76mm) d / tile



Plain Tiles

Have some creative fun by mixing and matching Zintra Plain Tiles 28 colors and 13 shapes. Install as either wall to wall or as feature artwork to create an option suitable for any commercial, education or hospitality environment.






PLAIN TILES SPECIFICATIONS


Dimensions: See pages 40-41 Thickness: 1/2" (12mm) Colors: Available in all 28 colors including Timber (See page 6-7) 0.45 (See pages 4-5) NRC Rating: 0.30 (See pages 4-5) Aw Rating: Notes: Custom sizes available Designed to coordinate with Etch Tiles available in the full Zintra Range


For complete specification and installation information, visit zintraacoustic.com






Front View







ETCH TILES SPECIFICATIONS

Colors:


Notes:

Dimensions: See pages 44-45 Thickness: 1/2" (12mm) Available in all 28 colors including Timber (See page 6-7) NRC Rating: 0.45 - 0.90 (See pages 4-5) Aw Rating: 0.30 - 0.95 (See pages 4-5) Custom sizes available Designed to coordinate with Plain Tiles available in the full Zintra Range

For complete specification and installation information, visit zintraacoustic.com



BATTLEAXE







20 Tile Assembly




15 Tile Assembly



16 Tile Assembly



16 Tile Assembly



12 Tile Assembly

Zintrcl[®]45.


Pattern Tiles

Offering 6 new, progressive and easy to install designs, Pattern Tiles continue to be a Zintra favorite. The 28 front and back colors create thousands of possible combinations even before you decide how to lay them out on the wall.









PATTERN TILES SPECIFICATIONS


Dimensions:	See pages 48-49
Thickness:	1″ (24mm)
Colors:	Available in all 28 colors including Timbe
NRC Rating:	0.45 – 0.90 (See pages 4-5)
Aw Rating:	0.30 – 0.95 (See pages 4-5)
Notes:	Custom sizes available

For complete specification and installation information, visit **zintraacoustic.com**


er (See page 6-7)



ARCH 16 tiles / set, 25.7 SF (2.4m²)




Front View



6 Tile Assembly

ENTWINE

10 tiles / set, 22.8 SF (2.1m²)




Front View


LEAP 10 tiles / set, 22.8 SF (2.1m²)

22.49" (571mm)

Front View




7 Tile Assembly




6 Tile Assembly

LOTUS 10 tiles / set, 25.2 SF (2.3m²)






STRIAE 14 tiles / set, 29.8 SF (2.8m²)






SURGE

8 tiles / set, 24.5 SF (2.3m²)







zintrcl®

hello@zintraacoustic.com zintraacoustic.com